Nu-Tech Grease Magic liquid Nitro

Page 1 of 7

Version:
Revision Date:
Print Date:

02/24/2015 06/14/2018

# SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Grease Magic Liquid Nitro

PRODUCT USE: Carpet Pre-Spray

MANUFACTURED FOR: Grease Magic

3784 11 Mile Road Berkley, MI48072

INFORMATION PHONE: 248-548-5211

EMERGENCY PHONE: INFOTRAC

1-800-535-5053 USA & Canada 352-323-3500 International

# **SECTION 2 - HAZARD(S) IDENTIFICATION**

CLASSIFICATION: Acute Toxicity- Oral: Category 4

Skin Corrosion: Category 2 Eye Damage: Category 2A

PICTOGRAMS:



**GHS ELELMENTS:** 

SIGNAL WORD: Warning

HAZARD STATEMENT(\$): H302 | Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENT(\$): P264 | Wash any exposed body parts thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 | Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 | Specific treatment (see supplemental first aid instruction on this label if

immediate administration of antidote/specific measures/cleansing

agent/immediate measures is/are appropriate/required).

P330 | Rinse mouth.

P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 | If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/container to appropriate waste disposal entity in

accordance with local/regional/national/international regulation.

Nu-Tech Grease Magic liquid Nitro

Page 2of 7

Version: Revision Date: 02/24/2015 Print Date: 06/14/2018

ADDITIONAL PRECAUTIONS: None Known

## SECTION 3- COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS#	PERCENT
Potassium Hydroxide Surfactant Sodium tripolyphosphate 2-Butoxyethanol Sodium Xylenesulfonate Nonylphenol ethoxylate Solvent Lemon Yellow 316 #328 Sunflower Yellow Dye Polymer Sodium Hydroxide Preservative	1310-58-3 1643-20-5 7758-29-4 111-76-2 1300-72-7 127087-87-0 94266-47-4 N/E N/E 25212-88-8 1310-73-2 N/E	< 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0% < 1.0%
PROPRIETARY BLEND	N/E	< 1.0%

The chemicalidentity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients know to be hazardous.

## **SECTION 4 - FIRST AID MEASURES**

EYES: Check for and remove contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get

medical attention immediately.

Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes SKIN:

thoroughly before reuse. Get medical attention if irritation develops.

Move exposed person to fresh air. If breathing is irregular or if respiratory arrest **INHALATION:** 

occurs, provide artificial respiration or oxygen by trained personnel. Loosen

clothing. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so by INGESTION:

medical personnel. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

Physicians: No specific treatment. Treat symptomatically. Contact poison GENERAL:

treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

### **SECTION 5 - FIRE FIGHTING MEASURES**

FLAMMABILITY: In a fire or if heated, a pressure increase will occur and the container may burst.

Nu-Tech Grease Magic liquid Nitro

Page 3 of 7

Version: 1.0010
Revision Date: 02/24/2015
Print Date: 06/14/2018

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

PROTECTIVE EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.

ADDITIONAL INFORMATION: Thermal decomposition products-carbon monoxide, sulfur oxides, metal

oxide/oxides, halogenated compounds.

#### SECTION 6- ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: No action should be taken involving individual risk or without suitable training.

Isolate area. Avoid contact with material. Do not breathe vapors. Provide

adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers. Inform relevant authorities if the product reaches sewers,

waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb with

inert dry material. Dispose of according to local regulations. See Section 1 for

emergency contact information and 13 for waste disposal.

#### **SECTION 7 - HANDLING AND STORAGE**

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating drinking

and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest.

Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away from

foods, drink and incompatible materials. Keep container tightly closed. Do not

store unlabeled. Use appropriate containment.

# SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits. Mechanical

ventilation, eyewash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid

splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the

safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk assessment

Nu-Tech Grease Magic liquid Nitro

Page 4 of 7

Version: Revision Date: 02/24/2015 Print Date: 06/14/2018

indicates this is necessary.

SKIN PROTECTION:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

COMPONENT	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
Potassium Hydroxide	None	None	None
Surfactant	None	None	None
Sodium tripolyphosphate	None	None	None
2-Butoxyethanol	20.00	None	None
Sodium Xylenesulfonate	None	None	None
Nonylphenol ethoxylate	None	None	None
Solvent	30.00	None	None
Lemon Yellow 316	None	None	None
#328 Sunflower Yellow Dye	None	None	None
Polymer	None	None	None
Sodium Hydroxide	2.00	None	None
Preservative	None	None	None
PROPRIETARY BLEND	None	None	None

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid	UPPER EXPLOSIVE LIMITS:	NA
COLOR:	Orange	LOWER EXPLOSIVE LIMITS:	NA
ODOR:	Citrus	VAPOR PRESSURE:	NA
ODOR THRESHOLD:	NA	VAPOR DENSITY:	NA
PH:	11.5- 14.0	RELATIVE DENSITY:	0.00
MELTING POINT:	NA	SOLUBILITY:	Completely Water Soluble
FREEZING POINT:	23.00 F	PARTITION COEFFICIENT:	NA
BOILING POINT:	0	AUTO-IGNITION TEMPERATURE:	NA
FLASH POINT:	NA	DECOMPOSITION TEMPERATURE:	NA
EVAPORATION RATE:	NA	SPECIFIC GRAVITY:	NA
FLAMMABILITY:	Nonflammable	%VOLATILE:	0.00000
		VISCOSITY (est):	0.00

SECTION 10-STABILITY AND REACTIVITY

Nu-Tech Grease Magic liquid Nitro

Page 5 of 7

 Version:
 1.0010

 Revision Date:
 02/24/2015

 Print Date:
 06/14/2018

REACTIVITY: HAZARDOUS DECOMPOSITION PRODUCTS

CHEMICAL STABILITY: Stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: CONDITIONS

Non-reactive.

TO AVOID: INCOMPATIBLE

Excessive heat or open flame.

MATERIALS: Avoid contact with acidic materials and strong oxidizers.

HAZARDOUS

**DECOMPOSITION PRODUCTS:** 

### SECTION 11- TOXICOLOGICAL INFORMATION

Under normal conditions, none are known.

ROUTES OF ENTRY: Inhalation Absorption Ingestion

**ACUTE EXPOSURE HAZARDS:** 

EYE CONTACT: Irritation, stinging, redness, burns.

DERMAL: Irritation, burns upon prolonged exposure.

ORAL: Nausea, vomiting.

INHALATION: No expected route of entry. Irritation.

Surfactant (CAS No. 1643-20-5)
Oral LD50: Rat 500-5000 mg/kg
2-Butoxyethanol (CAS No. 111-76-2)

Oral LD50: Rat 470 mg/kg

Sodium Xylenesulfonate (CAS No. 1300-72-7)

Oral LD50: Rat 5 g/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)

Oral LD50: Rat 1600 mg/kg Solvent (CAS No. 94266-47-4) Oral LD50: Rabbit >5 g/kg Polymer (CAS No. 25212-88-8) Oral LD50: Rat 5000 mg/kg

## SECTION 12- ECOLOGICAL INFORMATION

ECOTOXICITY:

PERSISTENCE & DEGRADABILITY:

No data available.

BIOACCUMULATIVE POTENTIAL:

No data available.

MOBILITY IN SOIL:

No data available.

Nu-Tech Grease Magic liquid Nitro

Page 6 of 7

 Version:
 1.0010

 Revision Date:
 02/24/2015

 Print Date:
 06/14/2018

OTHER ADVERSE EFFECTS: No data available.

2-Butoxyethanol (CAS No. 111-76-2)

Crustacean LC50: Daphnia 1818 mg/L 24h Sodium Xylenesulfonate (CAS No. 1300-72-7)

Fish LC50: Minnow 1000 mg/L 96h

Polymer (CAS No. 25212-88-8) Fish LC50: Minnow 100 mg/L 96h

#### SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

### SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: NA

SHIPPING NAME: NA

TECHNICAL NAME: NA

HAZARD CLASS: NA

PACKAGING GROUP: NA

#### SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS CAS NO. %LESS THAN

2-Butoxyethanol 111-76-2 < 1.0%

CALIFORNIA PROP. 65 COMPONENTS CAS NO. %LESS THAN

Polymer 25212-88-8 < 1.0%

#### SECTION 16- OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

A Safety Glasses

B Safety Glasses, Gloves

### Nu-Tech Grease Magic liquid Nitro

Page 7 of 7

Revision Date: 02/24/2015

06/14/2018 Print Date:

Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	В

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions



Instability/Reactivity

Special

NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.